

September 9, 2015

## NO SWIMMING ADVISORY

### Dubois Park



**Contact:**

Communications Office

[Press50@flhealth.gov](mailto:Press50@flhealth.gov) 561-671-4014

**Jupiter, FL**—Florida Department of Health Palm Beach County has **POSTED the “No Swimming Advisory”** for Dubois Park after recent sampling showed bacterial levels in the water to be in the poor range.

The areas affected are Dubois Park’s small lagoon located just off the Jupiter Inlet which tested at 160 colonies per 100 milliliters of marine water.

Causes of the elevated level are unknown but are generally associated with wildlife, heavy recreational usage, or runoff following heavy rains. All other beaches from Boca Raton to Jupiter tested in the good range.

Health department staff samples the beach waters at 13 locations from Boca Raton to Jupiter for enterococci as recommended by the Florida Department of Environmental Protection and the EPA. The samples are laboratory tested for concentrations and a value assigned to indicate poor, moderate or good ranges.

Beach water quality for Palm Beach County and throughout the state can be found at [www.flhealthpalmbeach.org](http://www.flhealthpalmbeach.org) and click on “beach water sampling”.

---

---

\*A Poor rating may result in a resampling event to confirm poor conditions, otherwise a Health Advisory or Warning will be issued immediately. These indicate that contact with the water at this site may pose increased risk of infectious disease, particularly for susceptible individuals

#### Enterococcus Results Description

GOOD	MODERATE	POOR*
0-35 Enterococcus sp per 100 ml of marine water 0-35 CFU/100 mL Enterococcus sp Geometric Mean	36-104 Enterococcus sp per 100 ml of marine water	105 or greater Enterococcus sp per 100 ml of marine water 36 and over CFU/100 mL Enterococcus sp Geometric Mean

#####